ANNA UNIVERSITY COMBATORE

B.E. / B.Tech. DEGREE EXAMINATION - DECEMBER 2008

THIRD SEMESTER

(Common to EEE / ECE / EIE / ICE / MECHATRONICS / TEXTILE TECH(FT) / TEXTILE TECH. / MEDICAL ELECTRONICS)

SM 302 - ENGINEERING MATHEMATICS - III

me: Three Hours

Maximum: 100 Marks

PART A – $(20 \times 2 = 40 \text{ Marks})$ Answer ALL Questions

- 1) Write down the Dirichlet's condition for a function to be expanded as a Fourier series.
- 2) Define the value of the Fourier series of f(x) at a point of discontinuity.
- 3) If $f(x) = \sin hx$ is defined in $-\pi < x < \pi$, write the values of Fourier coefficients a_0 and a_n .

4) If
$$x = 2 \left[\frac{\sin x}{1} + \frac{\sin 2x}{2} + \frac{\sin 3x}{3} + \frac{\sin 4x}{4} + \dots \right]$$
 in $0 < x < \pi$. Prove that
$$\sum \frac{1}{n^2} = \frac{\pi^2}{6}.$$

5) Prove that if
$$F\{f(x)\} = F(s)$$
, then $F\{f(x-a)\} = e^{isa} F(s)$

5) Find the Fourier transform of f(x) defined by $f(x) = \begin{cases} 1, & \text{if } a < x < b \\ 0, & \text{otherwise} \end{cases}$

7) Find the Fourier Cosine transform of.
$$f(x) = \begin{cases} x & , & 0 < x < \pi \\ 0 & , & x \ge \pi \end{cases}$$

) If
$$F\{f(x)\}=F(s)$$
, prove that $F\{x^2 \mid f(x)\}=-\frac{d^2}{ds^2}F(s)$.

10) Find the
$$Z$$
 – transform of $(n+1)$

11) Prove that
$$Z^{-1} \left[\frac{z^2}{(z-a)^2} \right] = (n+1)a^n$$
.

- 12) Find the difference equation from $\mathcal{V}(n) = (A + nB)2^n$.
- 13) Form the partial differential equation by eliminating the arbitrary constants 'a' and 'b' from $z = a x^3 + b y^3$
- 14) Find the Sii gular solution of $z = px + qy + p^2 + q^2 + 1$.
- 15) Find the general solution of px + qy = 1
- 16) Find the particular integral of $(D^2-4DD')z = e^{3x+4y}$
- 17) Classify the p.d.e $(1+x^2)(4+x^2)u_{xx} + (5+2x^2)u_{xy} + u_{yy} = 0$
- 18) Write any two assumptions made while deriving the partial differential equation of transverse vibrations of a string.
- 19) Define steady state. Write the one dimensional heat equation in steady state.
- Write all the solutions of Laplace equation in Cartesian form, using the method of separation of variables

PART $B - (5 \times 12 = 60 \text{ Marks})$

Answer Any FIVE Questions

21) a) Find the Fourier series expansion for $f(x) = x^2$ in $(-\pi, \pi)$ and hence show

that
$$\frac{1}{1^4} + \frac{1}{2^4} + \frac{1}{3^4} + \dots = \frac{\pi^4}{90}$$
 (8)

- b) Obtain the half range cosine series for $f(x) = (x 2)^2$ in the interval (0, 2)

 (4)
- 22) Find the Fourier transform of $f(x) = \begin{bmatrix} 1 |x| & \text{for } |x| \le 1 \\ 0 & \text{otherwise} \end{bmatrix}$

Hence find the values of (i)
$$\int_{0}^{\infty} \frac{\sin^{2} t}{t^{2}} dt \text{ and (ii) } \int_{0}^{\infty} \frac{\sin^{4} t}{t^{4}} dt$$
 (12)

- 23) a) Using convolution theorem evaluate the inverse Z-transform of $\frac{z^2}{(z-1)(z-3)}$ (6)
 - b) Find the inverse Z- transform of $\frac{z^3}{(z-1)^2(z-2)}$ (6)
- 24) a) Find the Z- transform of (n+1) (n+2) (4)
 - b) Using Z-transforms, solve y(n+2) + 3y(n+1) 4y(n) = 0, n 1, given that y(0) = 3 and y(1) = -2. (8)

Obtain the complete solution of the equation
$$z = px + qy - 2\sqrt{pq}$$
 (6)

Solve
$$(D^2 + DD - 6D^2)z = \cos(2x+y)$$
 (6)

Solve
$$xz p + yz q = xy$$
. (6)

olve
$$(2D^2 - 5DD^2 + 2D^2)z = e^{2x+y}$$
 (6)

htly stretched flexible string has its ends fixed at x = 0 and x = l. At time t = 0, the g is given a shape defined by f(x) = k x (l - x), where k is a constant, and then ased from rest. Find the displacement of any point x of the string at any time t.

ifinitely long rectangular plate with insulated surfaces is 10cm die. The two long s and one short edge are kept at zero temperature, while the other short edge is kept at temperature given by

$$u = \begin{bmatrix} 20 \ y & for \ 0 \le y \le 5 \\ 20 \ (10 - y) & for \ 5 \le y \le 10 \end{bmatrix}$$

steady state temperature at any point in the plate.

(12)

*******THE END*****