



Reg. No. :

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Question Paper Code : 42771

B.E./B.Tech. DEGREE EXAMINATION, APRIL/MAY 2018
Fourth Semester
Civil Engineering
MA 2264 – NUMERICAL METHODS
(Regulations 2008)

(Common to Sixth Semester-Electronics and Communication Engineering, computer Science and Engineering, Industrial Engineering, Information Technology and Fifth Semester-Polymer Technology, Chemical Engineering, Polymer Technology and Fourth Semester-Aeronautical Engineering, Civil Engineering, Electrical and Electronic Engineering, Mechatronics Engineering)

Time : Three Hours Maximum : 100 Marks

Answer ALL questions.
PART – A (10×2=20 Marks)

1. What is the condition for the convergence of fixed point iteration method ?
2. What is the condition for the convergence of Gauss-Seidel method ?
3. Construct a table of divided difference for the following data.
x : 1 2 7 8
y : 1 5 5 4
4. Write down the Newton's forward interpolation formula for equal intervals.
5. For what type of curve the Simpson's rule will give exact result ?
6. Write down the forward difference formulae to compute the first two derivatives at the point $X = X_0$.
7. Write down the general Euler's algorithm and its order.
8. How many values are needed to apply Adam's method prior to the required value ?
9. Classify the partial differential equation $u_{xx} + 2u_{xy} + u_{yy} = 0$.
10. Write down the explicit formula for the solution of the one dimensional wave equation.

11. a) i) Solve $x^3 - 2x - 5 = 0$ for a positive root by using iteration method. (8)

ii) Find the inverse of the matrix $A = \begin{bmatrix} 8 & -4 & 0 \\ -4 & 8 & -4 \\ 0 & -4 & 8 \end{bmatrix}$ by using Gauss-Jordan method. (8)

(OR)

b) i) Solve the following system of equations using Gauss-Jacobi method. (8)
 $4x + y + z = 6$, $x + 4y + z = 6$, $x + y + 4z = 6$.

ii) Find the largest Eigenvalue and the corresponding Eigenvector of the matrix

$A = \begin{bmatrix} 25 & 1 & 2 \\ 1 & 3 & 0 \\ 2 & 0 & 4 \end{bmatrix}$ by using power method. (8)

12. a) i) Use Lagrange's formula to find the value of y corresponding to $x = 1$ from the given table. (8)

x : -1 0 2 3
 y : -8 3 1 12

ii) Find the interpolation polynomial $y = f(x)$ for the following data using Newton's divided difference formula and also find the value of $f(9)$. (8)

x : 5 7 11 13 17
 $f(x)$: 150 392 1452 2366 5202

(OR)

b) Fit the following four points by using the cubic splines. (16)

x : 0 2 4 6
 y : 1 9 41 41

Use the conditions $y'_0 = 0$ and $y'_3 = -12$.

13. a) i) Find the values of $y'(8)$ and $y''(9)$ from the following data. (8)

x : 4 5 7 10 11
 y : 48 100 294 900 1210

ii) Evaluate $\int_0^1 e^{-x^2} dx$ by dividing the range of integration into 4 equal intervals using Simpson's rule. (8)

(OR)

b) i) Evaluate $\int_0^{\pi/2} (\sin t) dt$ by using Gaussian two point formula. (8)

ii) Evaluate the integral $\int_0^1 \int_0^1 (e^{x+y}) dx dy$ by using Trapezoidal rule with step sizes $h = k = 0.5$. (8)

14. a) Given that $\frac{dy}{dx} = \frac{(1+x^2)y^2}{2}$ with $y(0) = -1$, $y(0.1) = 1.06$, $y(0.2) = 1.12$
 $y(0.3) = 1.21$ evaluate $y(0.4)$ by using Milne's method. (16)

(OR)

b) Solve $\frac{dy}{dx} = xy$, given that $y(0.1) = 2$ compute $y(1.2)$ and $y(1.4)$ by using Runge-Kutta method of fourth order. (16)

15. a) Solve the equation $\nabla^2 u = 0$ in $0 \leq x \leq 1$, $0 \leq y \leq 1$ given that $u(0, y) = 10$, $u(1, y) = 10$, $u(x, 0) = 20$ and $u(x, 1) = 20$ by taking $h = 0.25$. Obtain the result correct to three decimal places. (16)

(OR)

b) Solve the equation $\frac{\partial u}{\partial t} = \frac{\partial^2 u}{\partial x^2}$, given that $u(0, t) = U(5, t) = 0$, $U(x, 0) = x^2(25 - x^2)$, find u in the range taking $h = 1$ up to 5 seconds by using Bender-Schmidt recurrence equation. (16)