T			
KAG	T N	0	•
LUCS	g. N	<b>U</b> .	•

# Question Paper Code : 57034

B.E./B.Tech. DEGREE EXAMINATION, MAY/JUNE 2014.

First Semester

**Civil Engineering** 

### PH 6151 — ENGINEERING PHYSICS — I

(Common to all branches)

(Regulation 2013)

Time : Three hours

Maximum : 100 marks

Answer ALL questions.

PART A —  $(10 \times 2 = 20 \text{ marks})$ 

- 1. A crystal plane cuts at 3a, 4b and 2c distances along the crystallographic axes. Find the Miller indices of the plane.
- 2. Define atomic packing fraction.
- 3. What is Poisson's ratio?
- 4. State Newton's law of cooling.
- 5. What is meant by degenerate state?
- 6. What is Compton wavelength? Give its value.
- 7. List four methods of detecting ultrasonic waves.
- 8. Calculate the intensity level of a turbine whose sound intensity is 100 Wm<sup>-2</sup> when it is in operation. Given that the standard intensity level is 10<sup>-12</sup> Wm<sup>-2</sup>.

9. Define numerical aperture.

10. What are the roles played by the  $N_2$  and He in CO<sub>2</sub> Laser?

#### PART B — $(5 \times 16 = 80 \text{ marks})$

- 11. (a) (i) Explain the construction and working of Czochralski technique for growing crystals with its advantages. (12)
  - (ii) The lattice constant of a cubic crystal is 2.5 Å. Find the lattice spacing for (310) and (213) planes in the lattice.
    (4)

#### Or

- (b) Show that in an ideal hexagonal closed packed structure the c/a ratio is 1.663 and its atomic packing factor equals to that of the face-centered cubic structure. (6+4+6)
- 12. (a) What is cantilever? Derive an expression for the depression at the free end of a cantilever when the other end is rigidly fixed (assume the weight of the cantilever is negligible). (16)

#### Or

- (b) (i) Derive an expression for the rectilinear flow of heat along an uniform bar (One dimensional flow of heat). (13)
  - (ii) Calculate the thickness of the slap of area  $90 \times 10^{-4} \text{ m}^2$  through which 6 joules of heat is flowing per second through the opposite faces maintained at a temperature difference of 20 K. The coefficient of thermal conductivity of the material of the slab is  $0.04 \text{ Wm}^{-1} \text{ K}^{-1}$ . (3)
- 13. (a) Derive an expression for Planck's radiation law and discuss the same for shorter and longer wavelengths. (16)

#### Or

- (b) (i) Solve Schrödinger wave equation for a particle in a box (one dimensional) and obtain the energy eigen values. (10)
  - (ii) Describe the working of Scanning Electron Microscope. (6)
- 14. (a) (i) Describe in detail the production of ultrasonic waves by piezo-electric method. (10)
  - (ii) Draw a block diagram of ultrasonic flaw detector. Describe the working of ultrasonic flaw detector for non-destructive testing by reflection mode.
    (6)

## Or

(b) Drive expressions for growth and decay of energy density inside a hall and hence deduce Sabine's formula for the reverberation time of the hall.

(16)

15. (a) Explain the construction and working of  $CO_2$  laser with its advantages.

(16)

- (b) (i) Explain in detail how optical fibers are classified according to the material, refractive index and modes of propagation. (14)
  - (ii) What is the NA of a fiber, which has a relative refractive index difference of 0.05 and a core refractive index of 1.5?
    (2)