20	-	06	-	22		Δ_{α}
			2	-	-	B-56

	 ,	 	 	 		
Reg. No.:				4		

Question Paper Code: 50430

B.E./B.Tech. DEGREE EXAMINATIONS, APRIL/MAY 2023.

Fifth Semester

Computer Science and Engineering

CS 8501 – THEORY OF COMPUTATION

(Common to: Computer Science and Business Systems)

(Regulations 2017)

Time: Three hours

Maximum: 100 marks

Answer ALL questions.

PART A — $(10 \times 2 = 20 \text{ marks})$

- 1. State the principal of mathematical induction.
- Compare and contrast NFA and DFA.
- 3. State: Pumping lemma for regular languages.
- 4. Consider the following languages. $L1 = \{ab, abb, abbb, ...\}$ and $L2 = \Phi$ (empty language). Identify the list of strings that are part of the language created by $L1.L2 \cap L1^*$.
- 5. Write CFG to generate odd length palindromes using input alphabet {0, 1}.
- 6. Consider the following Context Free Grammar, G:

 $\mathbf{A} \rightarrow \mathbf{A} @ \mathbf{A} \mid \mathbf{A} \& \mathbf{A} \mid \sim \mathbf{A}$

 $A \rightarrow i \mid (A)$

Check whether the grammar is ambiguous or not using derivation.

- 7. State: Pumping lemma for CFL.
- 8. Define: Turing machine.
- 9. Define Undecidable languages.
- 10. Write the significance of NP problems with an example.

PART B —
$$(5 \times 13 = 65 \text{ marks})$$


11. (a) Design an ε – NFA (Nondeterministic finite automaton) to recognize the language L, containing only binary strings of non-zero length whose bits sum to a multiple of 5. Convert ε – NFA into an equivalent deterministic finite automaton. Illustrate the computation of your model on any sample input.

Or

- (b) Draw a Deterministic Finite Automata recognizing (DFA) the language corresponding to the regular expression (ab + bc * a *)*. Test your DFA using any two strings of the language.
- 12. (a) Find a Deterministic Finite Automata recognizing the language corresponding to the regular expression (0*10+1*0)(01)*.

Or

(b) Minimize the given automata, G.



13. (a) Design a pushdown automata to recognize the language, $L = \left\{ a^n b^p c^p d^{(n/2)} \mid p, n > 0 \right\}.$ Justify your answer.

Or

(b) Design a Context Free Grammar to accept the language,

$$L = \left\{ W \mid W \text{ is of the form } a^m b^n c^{n|1} d^{m|2} \mid \right\}$$

$$n.m > 0$$

Test your design using three sample strings.

 $S \rightarrow AaA$

 $A \rightarrow aaBa \mid CDA \mid CD$

 $B \rightarrow bB$

 $C \rightarrow Ca \mid D$

 $\mathrm{D} \to \mathrm{b}\mathrm{D} \, | \, \boldsymbol{\xi}$

Or

- (b) Design a Turing machine to perform the following function, $f(x) = \{2(x+2), x > 0\}$. Justify your design.
- 15. (a) With suitable examples, explain P and NP complete problems.

Or

b) State whether the instances of the Post Correspondence Problem (PCP) have a solution. The following are the instances with $\sum = \{0,1\}$.

Index List A List B

1 10 01

2 110 011

3 110 01

4 000 00

5 10 010

In case the PCP has a solution, describe the post-correspondence solution with justification.

PART C —
$$(1 \times 15 = 15 \text{ marks})$$

16. (a) Design a pushdown automata to recognize the language, $L = \left\{ a^{2n}b^pc^{2n}d^{2p} \mid p,n>0 \right\}.$ Justify your answer.

Or

(b) Design a Turing Machine to compute the function,

$$f(x,y) = \begin{cases} x\%y, & \text{if } x \text{ is even} \\ 0, & \text{otherwise} \end{cases}$$